

## **AMENDED CLAIMS LIST:**

This listing of amended claims reflects all claim amendments and replaces all prior versions, and listings, of claims in the reissue application. In compliance with 37 CFR § 1.173(d), matter to be added by reissue is underlined, and matter to be omitted by reissue is enclosed in brackets.

1. (Amended Four Times) A portable trommel comprising:

a chassis, including support wheels at one end thereof for the movement of the portable trommel;

a trommel rotatably mounted on the chassis and having an input end, an output end, and a trommel screen;

input means for supplying material to be screened to the input end of the trommel, the input means being mounted on the chassis adjacent the input end of the trommel;

output means for collecting material passing through the trommel screen, the output means being mounted on the chassis, below the trommel; and

a stockpiling conveyor mounted on the chassis and having a lower end for receiving screened material from the output means and having an upper end for discharging screened material to form a stockpile, wherein the stockpiling conveyor comprises a first lower part pivotally attached to the chassis and a first upper part, which is pivotally attached to the first lower part, the first lower and the first upper parts being movable between an extended, operational position, in which the stockpiling conveyor extends upwardly and outwardly from the chassis and a retracted position for transportation, in which the first lower part is at an angle to the first upper part and the

first upper part extends over the chassis, and further wherein the first lower part of the stockpiling conveyor has a lower end mounted to the chassis for rotation about a vertical axis, to enable the stockpiling conveyor to form an arc-shaped stockpile;

wherein the lower end of the first lower part is pivotally mounted to the chassis for motion about a horizontal axis, and wherein the portable trommel includes a body extending upwardly from the chassis and including an upper support bracket providing a support point, with the vertical axis of rotation of the stockpiling conveyor extending through the support point, and wherein a support extends between the support point and the stockpiling conveyor for support thereof.

3. (Canceled)

4. (Canceled)

5. (Canceled)

6. (Amended) A portable trommel as claimed in claim [5] 1, wherein the support comprises an elongate flexible element attached to the first upper part of the stockpiling conveyor.

7. (Canceled)

8. (Canceled)

9. (Canceled)

10. (Canceled)

11. (Canceled)

12. (Canceled)

13. (Canceled)

14. (Canceled)

15. (Canceled)

16. (Canceled)
17. (Canceled)
18. (Canceled)
19. (Canceled)
20. (Canceled)
21. (Canceled)
22. (Canceled)
25. (Canceled)
32. (Canceled)
45. (Canceled)
52. (Canceled)
53. (Canceled)